ClimateMaster

801 Series

Price List Effective 01/01/90

Form No. 801PS-190 Subject to change without notice

Water Source Console Heat Pump


Pricing Policy:

This price sheet supersedes the price sheet dated February 1, 1989 and any subsequent addendums issued in letters to the field.

- Freight terms are "FOB Shipping Point," Full Freight Allowed. On shipments to Canada, Alaska and Hawaii, Freight terms are "FOB Shipping Point," Full Freight Allowed to the U.S. Border. Normal shipment is by truck; if premium transportation is requested, the extra cost must be borne by the requester.
- Warranty: The standard warranty on units, controls, and accessories is one year no labor.
- Check, test and start is usually the responsibility of the installing contractor, therefore, our prices do not include any check, test and start monies. If it must be added, it is the responsibility of the representative to include the money in his quotation.
- Terms of Sale are net 30 days. Credit must be approved or terms agreed upon before any equipment will be shipped.
- Project information and a credit application must be filed with the Credit Department, and where applicable, a sales tax certification.
- List Price deducts are indicated by () around the amount.

Ordering/Pricing Example:

801 Series Water Source Console Heat Pump



801 Series Water Source Console Heat Pump

Standard Heat Pump—Base Unit Prices:

Positions 1, 2, 3 indicate heat pump or cooling only)

801 - Standard Heat Pump

901 - Cooling Only: List Deduct (\$42)

(Positions 4, 5, 6 indicate capacity and voltage options)

			POSITION 6					
		Α	В	С	E	G	V	
		115V	230V	208V	265V	208/230	200/240 50HZ	
	08	\$1822	\$1788	\$1788	\$1797	\$1788	\$1797	
	10	\$1874	\$1839	\$1839	\$1851	\$1839	\$1851	
POSITIONS 4, 5	12	\$1908	\$1873	\$1873	\$1885	\$1873	\$1885	
	15	N/A	\$1994	\$1994	\$2007	\$1994	\$2007	
	19	N/A	\$2160	\$2160	\$2174	\$2160	\$2174	

NOTES:

Specific Voltage must be specified for Master/Slave

B = 230 VAC to be used with "G" Control Option (Master/Slave, Remote T'Stat)

C = 208 VAC to be used with "G" Control Option (Master/Slave, Remote T'Stat)

N/A = Not Available

Water Connection Location:

(Position 7 indicates available water connection location options)

:	POSIT	ION 7
	L	R
LIST PRICE	\$0	\$0

NOTES:

L = Left Hand Connection

R = Right Hand Connection

Water Connections are always determined by looking at the front of the unit

Electric Heater/Boilerless System:

(Position 8 indicates available electric heater/boilerless kit options)

		POSITION 8									
	0 1 2 3 4 5 A B C D E								Ε		
LIST PRICE	\$ 0	\$281	\$281	\$281	\$281	\$281	\$129	\$129	\$129	\$129	\$129
SET-UP	\$ O	\$562	\$562	\$562	\$562	\$562	\$281	\$281	\$281	\$281	\$281

NOTES:

0 = No Electric Heat

1 = 1.0 KW Boilerless Electric Heater Kit

2 = 1.5 KW Boilerless Electric Heater Kit

3 = 2.0 KW Boilerless Electric Heater Kit

4 = 3.0 KW Boilerless Electric Heater Kit

5 = 3.7 KW Boilerless Electric Heater Kit

A = 1.0 KW Electric Heater (to be used cooling only — 901 console)

B = 1.5 KW Electric Heater (to be used cooling only — 901 console)

C = 2.0 KW Electric Heater (to be used cooling only — 901 console)

D = 3.0 KW Electric Heater (to be used cooling only — 901 console)

E = 3.7 KW Electric Heater (to be used cooling only — 901 console)

Set-Up Charges are Net Per Order

Cooling Only Units without Electric Heaters always have ACO Controls

801 Series Water Source Console Heat Pump

Control Options:

(Position 9 indicates available control options)

		POSITION 9							
	A	В	ပ	D	E	F	G	М	N
LIST PRICE	\$ 0	\$ 57	\$ 28	\$ 85	\$197	\$253	\$ 45	\$ 34	\$ 90
SET-UP	\$ 0	\$ 0	\$ 0	\$ 0	\$224	\$224	\$ 0	\$ 0	\$ 0

NOTES:

A = Manual Changeover, Unit Mounted Control

B = Automatic Changeover, Unit Mounted Control

C = MCO, Unit Mounted Control with 24 VAC normally Open Control Relay

D = ACO, Unit Mounted Control with 24 VAC normally Open Control Relay

E = MCO, with 24 VAC normally Open Control Relay, Nite Set Back Thermostat and 2 hr Override Timer

F = ACO, with 24 VAC normally Open Control Relay, Nite Set Back Thermostat and 2 hr Override Timer

G = Low Voltage, Master/Slave or Wall Mounted Thermostat

M = MCO, with Nite Set Back Thermostat

N = ACO, with Nite Set Back Thermostat

Set-Up Charges are Net Per Order

Control Option "G"

The Master/Slave, Remote Thermostat Control Package can be used for a Single Unit or Multiple Units. It is 24 Volts and is designed to work with any of the Single Stage Thermostats/Subbases.

Cabinet Options:

(Position 10 indicates available cabinet options)

DESCRIPTION	OPTION CODE	LIST(EA) \$	ORDER SET-UP(NET)
STANDARD CABINET	S	\$ 0	\$ 0
STANDARD CABINET W/LOCKED CONTROL DOOR (LCD)	L	\$ 30	\$225
STANDARD CABINET W/FINISHED BACK (FB)	F	\$ 35	\$225
STANDARD CABINET W/LCD & FB	Α	\$ 65	\$225
STANDARD CABINET W/AL. LINEAR BAR GRILLE	J	\$ 45	\$225
STANDARD CABINET FOR REMOTE MASTER/SLAVE	М	\$ 0	\$ 0
NO CABINET (LIST DEDUCT)	0	(\$151)	\$ 0

STANDARD CABINET SIZE: 801-08, 10, 12 = 48" 801-15, 19 = 52"

ADD \$225 net set up charges for items B, C, E, L, and F

Base Options:

(Position 11 indicates available base options)

		POSITION 11						
	O S D E							
LIST PRICE	(\$37)	\$ 0	\$95	\$15				

NOTES:

O = No Base

S = Standard Base

D = Base includes Motorized Damper

E = Base includes Manual Damper

Add \$210 net set up charges for items D and E

Set-Up Charges are Net Per Order

801 Series Water Source Console Heat Pump

Power Connections:

(Position 12 indicates available power connections)

	POSITION 12							
	A B C D G H J S							
LIST PRICE	\$ 0	\$ 17	\$ 74	\$ 90	\$ 22	\$112	\$126	\$ 85

NOTES:

 $A = 2 \times 4$ Junction Box

B = 20 AMP Line Cord

C = 20 AMP Line Cord and Receptacle

D = 20 AMP Line Cord, Receptacle and Disconnect

G = 30 AMP Line Cord

H = 30 AMP Line Cord and Receptacle (N/A on 265)

J = 30 AMP Line Cord, Receptacle and Disconnect (N/A on 265)

S = 30 AMP Line Cord and Receptacle

Use 20 AMP Line Cords as follows:

Up to a 3.0 KW Electric Heater at 208 VAC

Up to a 3.0 KW Electric Heater at 230 VAC

Up to a 3.7 KW Electric Heater at 265 VAC

Use 30 AMP Line Cords as follows:

For 3.7 and 4.5 KW Electric Heaters at 208 VAC

For 3.7 and 4.5 KW Electric Heaters at 230 VAC

For a 4.5 KW Electric Heater at 265 VAC

Consult factory if circuit breakers or fused disconnects are specified.

Piping Connection Options:

(Position 13 indicates available piping connections)

		POSITION 13							
	Α	В	C	F	M	0	U	Н	
LIST PRICE	\$ 67	\$ 74	\$ 67	\$12	\$ 12	\$ 0	\$ 17	\$169	

NOTES:

A = Female Pipe Thread with Ball Valves

B = Ball Valves and Unions

C = Male Pipe Thread with Ball Valves

F = Female Pipe Thread

H = Hydronic On/Off Valve

M = Male Pipe Thread

O = None

U = Female Union

Chassis Size Options:

(Positions 14, 15 indicate available chassis size options)

	POS	ITIONS 1	4, 15						
	oc	ОВ	OA						
LIST PRICE	N/C	N/C N/C N/C							

NOTES:

OB = 48" Cabinet and Chassis, Sizes 008, 010, 012 OA = 52" Cabinet and Chassis, Sizes 015, 019

ACCESSORIES

801 Series

Thermostats/Subbases

CLIMATEMASTER PART NUMBER	VENDOR REF. NUMBER	APPLICATION	LIST PRICE
AT4175/AQ4766	T834A1675/Q634G1066	SINGLE STAGE MANUAL CHANGEOVER	\$ 59
AT5854/AQ5386	T874H1054/Q674C1041	SINGLE STAGE AUTOMATIC CHANGEOVER	\$ 173
AT5784/AQ5323	T874G1584/Q674C1223	SINGLE STAGE ACO, WITH NSB	\$ 194
AT5930/AQ5215	T874P1022/Q674B1315	SINGLE STAGE COOLING ONLY ACO INCLUDES OVERRIDE	m 400
177000 14 0 5015	T07404000400040404	AND SERVICE LEDS	\$ 198
AT5930/AQ5315	T874P1022/Q674C1215	SINGLE STAGE ACO, WITH NSB AND OVERRIDE INCLUDES OVERRIDE AND SERVICE LEDS	\$ 198
AT0910	HP-2	SINGLE OR TWO STAGE PROGRAMMABLE (ACO/MCO)	\$ 434
AT12124	T841A1324	SINGLE STAGE MCO INCLUDES SUBBASE, EMERGENCY	
		AND AUXILIARY HEAT LEDS	\$ 152
AT12234	T841B	SINGLE STAGE MCO INCLUDES SUBBASE AND NO LEDS	\$ 129

THERMOSTAT COVERS

CLIMATEMASTER PART NUMBER	VENDOR PART NUMBER	DESCRIPTION	LIST PRICE
AM5045	TG500A1045	CLEAR PLASTIC COVER FOR ALL HONEYWELL T'STATS	\$ 37
AM5060	TG500A1060	BEIGE PLASTIC COVER FOR ALL HONEYWELL T'STATS	\$ 37
AM5409	TG504A1009	LOCKING COVER FOR AT5784, 5930, 5854, 5411	\$ 54
AM5417	TG504A1017	LOCKING COVER/EXTERNAL THERMOMETER FOR AT5784,	
		5930, 5854, 5411	\$ 54

Hose Kits and Accessories

GALVANIZED CLIMATEMASTER

	PART NUMBER	DESCRIPTION	LIST PRICE
İ	AK5011-2	½" x 1' HOSE KIT WITH ADAPTER	\$ 22

STAINLESS CLIMATEMASTER

PART NUMBER	DESCRIPTION	LIST PRICE
AK5021-2	½" x 1' HOSE KIT WITH ADAPTER	\$ 45

ADAPTERS CLIMATEMASTER

PART NUMBER	DESCRIPTION	LIST PRICE
AAD0500	1/2" FLARED MALE-TO-MALE ADAPTER	\$2.00

Loop Control Panel and Accessories

CLIMATEMASTER

PART NUMBER	DESCRIPTION	LIST PRICE
MACS-002	4 STAGES HT REJ, 1 STAGE HT ADD	\$4505
68263700	WATER TEMPERATURE SENSOR	N/C
68263701	OUTSIDE AIR TEMPERATURE SENSOR	N/C
68273700	SIMULATOR	\$ 455
68273701	REPEATER	\$ 676
68263800	FLOW SWITCH	\$ 141

^{1.} WATER AND AIR TEMPERATURE SENSORS ARE INCLUDED INSIDE THE MACS-002.

Water Valves and Accessories

CL	IMA.	TEM	AS1	ΓER

PART NUMBER	DESCRIPTION	LIST PRICE
AV0006	3/4" DUAL ACTING WATER REGULATING VALVE	\$ 345

Field Installed Kits

CLIMATEMASTER

PART NUMBER	DESCRIPTION	LIST PRICE
AORTO-120	2 HOUR OVERRIDE TIMER	\$ 40

Filters

1 INCH PERMANENT CLIMATEMASTER

PART NUMBER	APPLICATION	LIST PRICE
24189601	801 SIZES 08, 10, 12, 15 IN 48" CABINET	\$ 9.00
24189602	801 SIZES 15, 19	\$ 9.50

Contact the factory for any specials that are not shown. All items on these pages are U.L. Approved and Listed unless otherwise noted. Specials will generally not be U.L. Listed.

