



Commercial Case Study

Providing HVAC for Massive Structure is Pure Efficiency

In the mid-1920s, Chicago-based Sears Roebuck & Co. made a strategic choice to move many of their stores away from downtown areas. Perhaps they knew they were planting seeds that would eventually grow into the 21st-century retail mall industry.

One of the most remarkable of these facilities opened in 1927 on the outskirts of Minneapolis. It featured a 17-story, 230-foot-tall central tower and acres of pavement for people who made the store a destination, a getaway. It served Sears retail and wholesale operation for 57 years.

Gradually, the city grew around the building. But a new vision for the abandoned building was to repurpose it, shaping it into the swank, inner-city "Midtown Exchange" living and retail environment. It now offers a million-plus square feet and 329 living units, of which 80 are considered high-end condominiums. There are also townhouses and luxury apartments and large office and retail segments.

Also, a nine-story, 400,000 s.f. wing of the restored

building is occupied by the world headquarters of Allina Health Systems.

In square footage, Midtown Exchange is now officially the second-largest building in Minnesota – second only to the celebrated Mall of America.

One of the key challenges in retrofitting the massive, old structure into a diversity of modernized, smaller spaces was the desire to install state-of-the-art mechanical systems.

"We chose super-efficient, water-to-air heat pumps because – compared to traditional HVAC equipment – they can be installed for less money," said Bill McKoskey, a registered professional engineer and president of Horwitz Inc. in Minneapolis. Horwitz was responsible for the Midtown Exchange renovation-project HVAC design, engineering and installation.

"The heat pumps also offer the flexibility of being easy to zone," said McKoskey. "And you can add heat pumps to the overall design as needed – so they give you an advantage in scalability. There's little question that water-source heat pumps are one of the highest efficiency systems on the market due to their ability to transfer heat through the building's piping system."

"We have quite an assortment of water-to-air equipment scattered throughout the building, depending on what the space requirement called for," said Scott Rollings, CEO of Minneapolis-based Energy Efficient Resources, a manufacturer's rep firm. "This was a superb project to be involved in; it helped immensely that mechanical system design was handled so well from the beginning."

Chief among the environmental considerations, especially for an older, retrofitted building with many diverse uses, was the need for the chosen ClimateMaster mechanical systems to operate quietly.



"Several professionals involved in the project raised concerns about this," added McKoskey. "So – for the architects and the development people from Ryan Cos. and several others – we built a mockup vertical heat pump at an older building here in town. And when it was operational, we led a group there to see and hear the system in operation; everyone was favorably impressed."

As an added precaution, the developer chose to install



insulated G-panels on all heat-pump enclosures in the residential units, further dampening any operational noise that might be generated.

As a registered historic structure, it's mandated that Midtown Exchange be left very much intact following any renovations.

"One of the things about historical buildings is the need not to see anything new," added McKoskey. "We were able to satisfy that requirement because all of the individual water-source heat pump units integrated with the boiler and cooling tower for the exchange of heat – and the only thing visible on the exterior is the cooling tower itself, which in this case is in a level-13 penthouse. That worked out to everyone's satisfaction."

"In contrast, one of the essentials for a conventional VAV system would be louvers, and they're an immediate deal-breaker with the folks who guard against visible, exterior signs of modern systems – they're not permitted on historical buildings, or at least to be apparent," continued McKoskey.

"But when you're using heat pumps, the only air we're moving is the 'makeup' air," he added. "So that means you're using a much smaller duct – which, in this case, is a definite advantage for the heat pumps in maintaining the integrity of the historical appearance throughout the building."

An exception to the exclusive use of water-to-air heat pumps was made at the Allina headquarters. There, Horwitz professionals installed a traditional VAV heating-and-cooling system. "But even there we also installed some ClimateMaster heat pumps because Allina has a critical 24/7 temperature requirement for their data facility," said McKoskey. "So we just tied that to a dry-cooler loop, which is a totally separate system

from the rest of the building.”

Further challenges grew out of the building’s quaint 1920s configuration – as well as what some of the professionals referred to as “Sears bunker construction.” After all, the building sits atop a six-foot-thick, 150,000 square-foot slab. “Like they say, ‘they don’t build ‘em like they used to,’” said Rollings. “It was as though – during construction – the rule of thumb was: ‘When in doubt, add more concrete.’”

Walls were almost as sturdy as the floors, and certainly complicated the task of modernizing the building systems.

“As a design/build contractor, I’m always working closely



with architects,” said McKoskey. “At this jobsite, this was important in determining favorable HVAC routes through ceilings, walls and floors. And on this project, there were a number of architects involved – separate architects for the condos and apartments, for Allina and for retail. Of course, because of the old construction techniques, there were aesthetic treatments and designs that became extremely challenging to bring about.”

For the residential areas of the building, Horwitz technicians installed 1-ton to 3-ton vertical heat pumps with integral risers or piping – stacking as many as they could in similar locations, one above the other, floor-to-floor, all linked together as part of the closed water loop.

“Unfortunately, the building didn’t ‘stack’ perfectly, so we used a lot of offsets, which solved many problems, but were a key challenge in making it all come together,” said McKoskey.

According to Rollings, a lot of horizontal water-to-air heat pumps were used elsewhere throughout the project, including 10-, 15- and 20-ton units.



“Up at the top of the tower – all the way up 17 floors – is where they used to store fire-protection water,” McKoskey said. “And within that tower, today, from floors 13 through 17, there are now many elegant condominiums.”

According to McKoskey, the building also has a high-rise smoke control system which includes fire floor-exhaust, stairway pressurization and elevator-shaft relief. So there was an advantage for what they termed the “point-of-use” characteristic of the heat pumps, permitting them not to cross a lot of fire barriers with large ducts. If this were done, as with a VAV system, the installation process would have been more involved, and would also have required the use of very large and costly smoke-control dampers.

“No doubt, we were dealing with a very tough building,” continued McKoskey. “It’s unusually shaped and it’s extremely well-built. And that made it a difficult project.”

“So the mechanical solution we settled on was ideally-suited to the challenge, and also to the developer’s stated need for high efficiency operation,” he added.

The tenants, residents, visitors and shoppers at Midtown Exchange are modern beneficiaries of a forward-looking, efficient heating-and-cooling design that could help prolong the building’s life another century or more.



Midtown Exchange
Minneapolis, MN

Mechanical Contractor:
Horwitz Inc.

HVAC Manufacturer:
ClimateMaster, Inc.
climatemaster.com



ClimateMaster is the world's largest and most progressive manufacturer of geothermal heat pumps. The company is committed to innovation and dedicated to environmentally clean, economically sound and superbly comfortable home and business environments.

ClimateMaster has been designing and building equipment that enhances the environments we live and work in every day for more than 50 years. In addition to geothermal heat pumps, ClimateMaster offers the most extensive product line of water-source heat pumps for use in a wide variety of applications. ClimateMaster products are proudly built in the U.S.A.



ClimateMaster works continually to improve its products. As a result, the design and specifications of each product at the time for order may be changed without notice and may not be as described herein. Please contact ClimateMaster's Customer Service Department at 1-405-745-6000 for specific information on the current design and specifications. Statements and other information contained herein are not express warranties and do not form the basis of any bargain between the parties, but are merely ClimateMaster's opinion or commendation of its products.


CLIMATEMASTER
7300 S.W. 44th St.
Oklahoma City, OK 73179
Phone 405-745-6000
Fax 405-745-6058
climatemaster.com